This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- 1. (Currently Amended) Finely divided hard <u>bodies</u> moulded <u>body</u> comprising <u>a</u> material materials having a hardness  $\geq 7$  on the Mohs hardness scale which form the moulded <u>body or are is</u> present directly on a finely divided substrate as impermeable coating in the form of one or more layers.
- 2. (Currently Amended) Finely divided hard <u>bodies</u> moulded body according to Claim 1, which are pigments characterised in that it is a pigment.
- (Currently Amended) Finely divided hard <u>bodies</u> moulded body according to
  Claim 1, <u>wherein</u> eharacterised in that the moulded body or the finely divided substrate is in flake form.

## 4. (Cancelled)

- 5. (Currently Amended) Finely divided hard <u>bodies</u> moulded body according to claim 1, <u>which are obtained</u> obtainable by wet-chemical precipitation of a primary layer comprising one or more layers on a finely divided substrate and subsequent calcination with formation of an impermeable coating in the form of one or more layers of <u>a material</u> materials having a hardness  $\geq 7$  on the Mohs hardness scale on the substrate or by single or repeated coating of a finely divided substrate with <u>a material</u> materials having a hardness  $\geq 7$  on the Mohs hardness scale by <u>a CVD</u> and/or PVD <u>process</u> processes.
- 6. (Currently Amended) Finely divided hard <u>bodies</u> moulded body according to Claim 1, <u>wherein</u> <del>characterised in that</del> the finely divided substrate comprises natural or synthetic mica, metal flakes, glass flakes, SiO<sub>2</sub> flakes, TiO<sub>2</sub> flakes or iron oxide flakes.
- 7. (Currently Amended) Finely divided hard <u>bodies</u> moulded body according to Claim 6, <u>wherein</u> characterised in that the metal flakes <u>are flakes</u> consist of <u>aluminum</u> aluminium, titanium, bronze, steel or silver.

- 8. (Currently Amended) Finely divided hard <u>bodies</u> moulded body according to Claim 1, <u>wherein</u> eharacterised in that the material having a hardness ≥ 7 on the Mohs hardness scale comprises <u>aluminum</u> aluminium oxide, zirconium oxide <u>or a mixture thereof</u> and/or mixtures thereof.
- 9. (Currently Amended) Finely divided hard <u>bodies</u> moulded body according to claim 1, <u>wherein</u> characterised in that the thickness of the finely divided moulded body comprising a material having a hardness  $\geq 7$  on the Mohs hardness scale is 0.05 to 6  $\mu$ m or the thickness of the coating applied to a finely divided substrate in the form of one or more layers of <u>a materials</u> having a hardness  $\geq 7$  on the Mohs hardness scale is 40 to 400 nm.
- 10. (Currently Amended) Finely divided hard <u>bodies</u> moulded body according to claim 1, <u>wherein</u> characterised in that the finely divided <u>bodies have</u> moulded body has additionally been coated with one or more transparent, semi-transparent and/or opaque layers comprising a metal oxide, metal oxide hydrate, metal suboxide, metal, metal fluoride, metal <u>nitride</u>, metal oxynitride or a mixture thereof metal oxides, metal oxide hydrates, metal suboxides, metals, metal fluorides, metal nitrides, metal oxynitrides or mixtures of these materials.
- 11. (Currently Amended) Finely divided hard <u>bodies</u> moulded body according to Claim 10, <u>wherein</u> eharacterised in that a further layer of <u>a material</u> materials having a hardness  $\geq 7$  on the Mohs hardness scale has additionally been applied.
- 12. (Currently Amended) Finely divided hard <u>bodies</u> moulded body according to Claim 11, <u>wherein</u> <del>characterised in that</del> the thickness of the further layer of a material having a hardness ≥ 7 on the Mohs hardness scale is 20 to 80 nm.
- 13. (Currently Amended) A process for preparing Process for the production of finely divided hard moulded bodies according to Claim 1, wherein the characterised in that a moulded body is formed from materials having a hardness ≥ 7 on the Mohs hardness scale or a finely divided substrate is provided with an impermeable coating in the form of one or more

layers of a material materials having a hardness  $\geq 7$  on the Mohs hardness scale.

## 14. (Cancelled)

- 15. (Currently Amended) A process Process according to Claim 13, wherein characterised in that a primary layer comprising one or more layers is precipitated onto a finely divided substrate by <u>a</u> wet-chemical <u>method methods</u> and calcined with formation of an impermeable coating in the form of one or more layers of <u>a material materials</u> having a hardness  $\geq 7$  on the Mohs hardness scale or a substrate is coated one or more times with <u>a material materials</u> having a hardness  $\geq 7$  on the Mohs hardness scale by <u>a</u> CVD and/or PVD process processes.
- 16. (Currently Amended) <u>A process</u> <u>Process</u> according to claim 13, <u>wherein</u> eharacterised in that the material having a hardness ≥ 7 on the Mohs hardness scale comprises <u>aluminum</u> aluminium oxide, zirconium oxide <u>or a mixture thereof</u> and/or mixtures thereof.
- 17. (Currently Amended) A process Process according to claim 13, wherein the finely divided hard bodies are characterised in that the moulded body is additionally coated with one or more transparent, semi-transparent and/or opaque layers comprising a metal oxide, metal oxide hydrate, metal suboxide, metal, metal fluoride, metal nitride, metal oxynitride or a mixture thereof metal oxides, metal oxide hydrates, metal suboxides, metals, metal fluorides, metal nitrides, metal oxynitrides or mixtures of these materials.
- 18. (Currently Amended) <u>A process</u> <u>Process</u> according to Claim 17, <u>wherein</u> <del>characterised in that</del> the one or more transparent, semi-transparent and/or opaque layers are applied by <u>a</u> wet-chemical, sol-gel, CVD and/or PVD <u>process</u> <del>processes</del>.
- 19. (Currently Amended) A process Process according to Claim 17, wherein characterised in that the applied transparent, semi-transparent and/or opaque layers are calcined.
- 20. (Currently Amended) A process Process according to claim 17, wherein eharacterised in that a further layer of a material materials having a hardness  $\geq 7$  on the Mohs

hardness scale is additionally applied.

- 21. (Currently Amended) A method Use of finely divided hard moulded bodies according to Claim 1 in polymer matrices for increasing the abrasion stability of a polymer matrix comprising applying to the polymer matrix finely divided hard bodies according to Claim 1.
- 22. (Currently Amended) <u>A method</u> Use according to Claim 21, wherein characterised in that the polymer matrix is a plastic composition of article, a paint, a coating or an ink matrices are plastics, paints, coatings or inks.
- 23. (Currently Amended) <u>An abrasion-stable polymer matrix Abrasion-stable</u> polymer matrices comprising finely divided hard moulded bodies according to Claim 1.
- 24. (New) Finely divided hard bodies according to Claim 11, wherein the material having a hardness ≥ 7 on the Mohs hardness scale comprises aluminum oxide, zirconium oxide and/or a mixture thereof.
- 25. (New) Process according to claim 20, wherein the material having a hardness ≥ 7 on the Mohs hardness scale comprises aluminum oxide, zirconium oxide and/or a mixture thereof.